

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	32	(US-20050010757-\$ or US-20040255110-\$ or US-20040193867-\$ or US-20040162974-\$ or US-20040123091-\$ or US-20040059900-\$ or US-20040044751-\$ or US-20040039821-\$ or US-20040034763-\$ or US-20040030879-\$ or US-20030200290-\$ or US-20030126242-\$ or US-20030101243-\$ or US-20030084342-\$ or US-20030023839-\$ or US-20030018763-\$ or US-20020138635-\$).did. or (US-7007077-\$ or US-6993642-\$ or US-6986033-\$ or US-6973587-\$ or US-6954852-\$ or US-6754707-\$ or US-6751658-\$ or US-6735691-\$ or US-6405310-\$ or US-6351810-\$ or US-6317826-\$ or US-6311276-\$ or US-6185678-\$ or US-5974547-\$ or US-5828888-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/03/09 08:43
L2	6	1 and (broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 08:45
L3	1	2 and (management near2 (server or node or computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 08:45
L4	14	1 and (management near2 (server or node or computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 08:49
L5	8	4 and ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 08:49
L6	1	5 and broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 08:49

EAST Search History

L7	24	1 and ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 (server\$1 or node\$1 or computer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 08:49
L8	12	7 and (management near2 (server or node or computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 08:49
L9	2	8 and broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 08:49
L10	5	8 and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1 or parameter\$1 or data or information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 08:54
L11	0	8 and ((plurality or multiple or (more adj than adj one)) near3 (server near2 (blade\$1 or card\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 08:55
L12	1	1 and ((plurality or multiple or (more adj than adj one)) near3 (server near2 (blade\$1 or card\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 08:55

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	60	(US-20050071677-\$ or US-20040158742-\$ or US-20030131246-\$ or US-20040081104-\$ or US-20030018763-\$ or US-20030188161-\$ or US-20050114544-\$ or US-20040199758-\$ or US-20030097553-\$ or US-20030126426-\$ or US-20030126242-\$ or US-20030187997-\$ or US-20030182549-\$ or US-20050005096-\$ or US-20030084342-\$ or US-20040059900-\$ or US-20030023737-\$ or US-20030200273-\$ or US-20030097422-\$ or US-20050071675-\$ or US-20050097360-\$ or US-20050097310-\$ or US-20050071480-\$ or US-20050071619-\$ or US-20040128493-\$ or US-20030046529-\$).did. or (US-20020099971-\$ or US-20030014518-\$ or US-20040221024-\$ or US-20030048615-\$).did. or (US-6189100-\$ or US-6816963-\$ or US-5968176-\$ or US-6857069-\$ or US-6908391-\$ or US-6351810-\$ or US-6345294-\$ or US-6279112-\$ or US-6567919-\$ or US-6981146-\$ or US-6757824-\$ or US-6757723-\$ or US-6463535-\$ or US-6751658-\$ or US-6970932-\$ or US-6763456-\$ or US-6609151-\$ or US-6826710-\$ or US-6550006-\$ or US-6978365-\$ or US-5935242-\$ or US-6314520-\$ or US-6560706-\$ or US-6484262-\$ or US-6412070-\$ or US-6944653-\$). did. or (US-6175917-\$ or US-5948101-\$ or US-6748530-\$). did. or (US-20020099971-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/03/09 09:45
L2	11	1 and ((trused or approved or valid or legitimate) near2 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:53

EAST Search History

L3	6	2 and ((boot\$3 or initializ\$5 or preboot\$3 or (pre adj boot\$3) or bootp) near3 request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:51
L4	30	1 and ((boot\$3 or initializ\$5 or preboot\$3 or (pre adj boot\$3) or bootp) near3 request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:09
L5	16	4 and (download\$3 near6 ((boot\$3 or initializ\$5 or preboot\$3 or (pre adj boot\$3) or bootp) near2 (image\$1 or code or information or data or parameter\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:24
L6	4	5 and ((trused or approved or valid or legitimate) near2 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:54
L7	2	1 and ((trused or approved or valid or legitimate) near3 ((server\$1 or node\$1 or computer\$1) near2 list))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:55
L8	1	1 and ((trused or approved or valid or legitimate) near2 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:56
L9	2	1 and ((trused or approved or valid or legitimate) near3 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:56
L10	9	1 and ((stor\$3 or hold\$3 or contain\$3) near6 (list near3 ((approved or official or legitimate or authorized or trusted) near2 server\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:59
L11	2	1 and ((stor\$3 or hold\$3 or contain\$3) near6 (list near3 ((approved or official or legitimate or authorized or trusted) adj (server\$1 or node\$1 or computer\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:01

EAST Search History

L12	9	1 and ((stor\$3 or hold\$3 or contain\$3) near6 (list near3 ((approved or official or legitimate or authorized or trusted) near2 (server\$1 or node\$1 or computer\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:01
L13	6	12 and ((network adj interface adj card\$1) or NIC\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:02
L14	9	12 and client\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:03
L15	7	12 and ((secure\$1 or protect\$2) near2 (network\$1 or (local adj area adj network\$1) or LAN\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:05
L16	0	12 and (broadcast\$3 near6 (((dynamic adj host adj configuration adj protocol) or DHCP) near3 request\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:08
L17	4	12 and (((dynamic adj host adj configuration adj protocol) or DHCP) near3 request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:08
L18	4	1 and (broadcast\$3 near6 (((dynamic adj host adj configuration adj protocol) or DHCP) near3 request\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:08
L19	4	18 and (boot\$3 or initializ\$5 or preboot\$3 or (pre adj boot\$3) or bootp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:11
L20	2	18 and ((boot\$3 or initializ\$5 or preboot\$3 or (pre adj boot\$3) or bootp) near3 request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:09

EAST Search History

L21	6	1 and ((plurality or multiple or (more adj than adj one)) near3 ((server\$1 or node\$1) near2 (blade\$1 or card\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:13
L22	4	1 and (switch\$3 near2 (blade\$1 or card\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:13
L23	4	4 and (download\$3 near6 (configuration near2 (image\$1 or code or information or data or parameter\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:18
L24	21	1 and (management near2 (server\$1 or node\$1 or computer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:19
L25	8	1 and (management adj (server\$1 or node\$1 or computer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:21
L26	2	1 and ((management near2 (server\$1 or node\$1 or computer\$1)) near2 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:22
L27	2	1 and ((configuration near2 (server\$1 or node\$1 or computer\$1)) near2 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:22
L28	20	1 and (configuration near2 (server\$1 or node\$1 or computer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:22
L29	7	1 and (configuration adj (server\$1 or node\$1 or computer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:22
L30	5	25 and list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:23

EAST Search History

L31	16	28 and list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:23
L32	8	31 and (download\$3 near6 ((boot\$3 or initializ\$5 or preboot\$3 or (pre adj boot\$3) or bootp) near2 (image\$1 or code or information or data or parameter\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:26
L33	2	29 and (download\$3 near6 ((boot\$3 or initializ\$5 or preboot\$3 or (pre adj boot\$3) or bootp) near2 (image\$1 or code or information or data or parameter\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:26